

Preventive Services

Staying on top of your preventive care can help you:

- Track vital numbers like your blood pressure and cholesterol levels
- Get immunizations to help you avoid illness
- Catch potential health problems before they become serious

Under your health plan, you can get preventive care services at no cost.¹ While all Kaiser Permanente service areas cover basic preventive care, you'll find additional benefits in certain states and Washington, D.C. Read on to find out which services are available to you under a plan that begins on or after **January 1, 2019**.

How to know if this flier covers your plan

This flier **doesn't** list services covered under Medicare. Instead, it applies to nongrandfathered individual and group plans (except retiree-only plans) and grandfathered group plans and retiree-only group plans that choose to cover preventive services.¹

If you're enrolled in grandfathered coverage or retiree-only coverage, see your *Benefit Booklet*, *Evidence of Coverage*, *Certificate of Insurance*, or *Membership Agreement* to find out which preventive services are covered.² You can also talk to your employer's benefits administrator.

What's new

There are benefit changes for 2019. Most of our plans will now cover the following services:

- **Screening for diabetes mellitus after pregnancy** (will be covered for plan years or policy years

beginning on or after January 1, 2019)

- **Screening for urinary incontinence in women** (will be covered for plan years or policy years beginning on or after January 1, 2019)

Preventive services for adults

- **Abdominal aortic aneurysm screening** (one time for men 65 to 75 who have ever smoked)
- **Age-appropriate preventive medical examinations**
- **Annual lung cancer screening** with low-dose computed tomography, and counseling, in adults 55 to 80 who are at high risk based on their current or past smoking history
- **Blood pressure screening**
- **Colon cancer screening** (for adults 50 to 75)
 - Bowel preparation medications prescribed prior to a screening colonoscopy
 - Pre-consultation visit associated with colon cancer screening
 - Pathology exam on a polyp biopsy, performed in connection with colon cancer screening
- **Depression screening**
- **Diabetes screening** (type 2) for adults with abnormal blood glucose
- **Discussions with primary care physician about:**
 - Alcohol misuse screening and counseling
 - Low-dose aspirin use, if at high risk of cardiovascular disease or colorectal cancer
 - Diet, if at higher risk for chronic disease
 - Obesity and weight management, including intensive behavioral counseling for overweight adults at risk for cardiovascular disease
 - Sexually transmitted infections prevention
- Tobacco use cessation and counseling
- **FDA-approved medications** for tobacco cessation, including over-the-counter medications, when prescribed by a plan provider
- **Hepatitis B screening** (for adults at higher risk)
- **Hepatitis C screening** (for adults born between 1945 and 1965)
- **Immunizations** (doses, recommended ages, and recommended populations vary):
 - Hepatitis A
 - Hepatitis B
 - Herpes zoster
 - Human papillomavirus
 - Influenza
 - Measles, mumps, rubella
 - Meningococcal (meningitis)
 - Pneumococcal
 - Tetanus, diphtheria, pertussis
 - Varicella
- **Latent tuberculosis infection screening**
- **Over-the-counter drugs** when prescribed by your doctor for preventive purposes:
 - Low-dose aspirin to reduce the risk of heart attack
 - Low-dose aspirin to prevent colorectal cancer
 - Vitamin D supplementation to prevent falls in community-dwelling adults 65 years or older who are at increased risk for falls
- **Physical therapy** to prevent falls (in community-dwelling adults 65 and older who are at increased risk of falling)
- **Routine physical exam**
- **Sexually transmitted infection screenings** (for adults at higher risk)
 - Chlamydia
 - Gonorrhea
 - HIV
 - Syphilis

- **Statin use for the primary prevention of cardiovascular disease in adults** 40 to 75 years with no history of cardiovascular disease (CVD), one or more CVD risk factors, and a calculated 10-year CVD event risk of 10% or greater
- **Universal lipids screening** in adults 40 to 75 years to identify dyslipidemia and a calculation of a 10-year CVD risk

Additional preventive services for women³

- **Anemia screening** (for pregnant women)⁴
- **BRCA genetic counseling** to assess risk of carrying breast/ovarian cancer genes (for those who meet U.S. Preventive Services Task Force guidelines)
- **BRCA genetic testing** (for high-risk women and when services are ordered by a plan physician)
- **Breastfeeding equipment**
- **Cancer screening:**
 - Breast cancer (mammography for women 40 and older)
 - Cervical cancer (for women 21 to 65)
- **Contraceptive devices, methods, and drugs** (FDA-approved and prescribed by your doctor), contraceptive device removal, and female sterilizations
- **Discussions with primary care physician** about:
 - Breastfeeding and comprehensive lactation support
 - Chemoprevention for breast cancer (if at higher risk)
 - Contraceptive methods
 - Family history of breast and/or ovarian cancer
 - Folic acid supplements (a daily supplement of 0.4–0.8 milligrams of folic acid if you are capable or planning pregnancy)
 - Interpersonal and domestic violence
 - Preconception care
- Tobacco use cessation and counseling for pregnant women
- **FDA-approved medications** for tobacco cessation for pregnant women, including over-the-counter medications, when prescribed by a plan provider⁵
- **Gestational diabetes screening** (for pregnant women at high risk, or women 24 and 28 weeks pregnant)
- **Hepatitis B screening** (for pregnant women at their first prenatal visit)
- **HIV screening** for pregnant women
- **Low-dose aspirin** (after 12 weeks of gestation in women who are at high risk for preeclampsia)
- **Osteoporosis screening** (for women 65 or older, and those at higher risk)
- **Over-the-counter folic acid** Over-the-counter folic acid (a daily supplement of 0.4–0.8 milligrams of folic acid for women who are capable or planning pregnancy to reduce the risk of birth defects when prescribed by a doctor for preventive purposes)
- **Preeclampsia screening** (for pregnant women with blood pressure measurements during pregnancy)
- **Prescribed, FDA-approved medications** for breast cancer prevention (if at higher risk, 35 and older with no prior history of breast cancer)
- **Rh incompatibility screening** (for pregnant women) and follow-up testing (for those at higher risk)
- **Routine physical exam**
- **Routine prenatal care visits⁶**
- **Screening for diabetes mellitus after pregnancy** (will be covered for plan years or policy years beginning on or after January 1, 2019)
- **Screening for urinary incontinence in women** (will be covered for plan years or policy years beginning on or after January 1, 2019)
- **Syphilis screening** for pregnant women
- **Urinary tract or other infection screening** (for pregnant women)

Preventive services for children

- **Age-appropriate preventive medical examinations**
- **Autism screening** by primary care physician (at 18 months and 24 months)
- **Behavioral assessments** by primary care physician (throughout development)
- **Blood pressure screening** for adolescents
- **Cervical dysplasia screening** (for sexually active females)
- **Congenital hypothyroidism screening** (newborns)
- **Depression screening** (for adolescents 12 to 18 years)
- **Developmental screening** (under 3 years) and surveillance (throughout childhood) by primary care physician
- **Discussions with primary care physician** about:
 - Alcohol and drug use counseling for adolescents
 - Fluoride supplements for children who have no fluoride in their water source
 - Iron supplements for children 6 months to 12 months at risk for anemia
 - Obesity screening and counseling
 - Sexually transmitted infection prevention counseling for adolescents at higher risk
 - Tobacco use cessation and counseling
 - Skin cancer counseling for young adults, adolescents, children, and parents of young children about minimizing exposure to ultraviolet (UV) radiation for persons aged 6 months to 24 years with fair skin types to reduce their risk of skin cancer
- **Dyslipidemia screening** (for children at higher risk of lipid disorders)

- **FDA-approved medications** for tobacco cessation, including over-the-counter medications, when prescribed by a plan provider
- **Gonorrhea prevention** medication for the eyes (newborns)
- **Hearing screening** (newborns)
- **Height, weight, and body mass index (BMI) measurements** (throughout development)
- **Hematocrit or hemoglobin screening**
- **Hemoglobinopathies or sickle cell screening** (newborns)
- **Hepatitis B screening** (for adolescents at higher risk)
- **HIV screening** (for adolescents at higher risk)
- **Immunizations** (from birth to 18 years; doses, recommended ages, and recommended populations vary):
 - Diphtheria, tetanus, pertussis
 - *Haemophilus influenzae* type B
 - Hepatitis A
 - Hepatitis B
 - Human papillomavirus
 - Inactivated poliovirus
 - Influenza
 - Measles, mumps, rubella
 - Meningococcal (meningitis)
 - Pneumococcal
 - Rotavirus
 - Varicella
- **Lead screening** (for children at risk of exposure)
- **Medical history** (throughout development)
- **Oral health risk assessments** by primary care physician
 - Fluoride supplementation starting at 6 months for children who have no fluoride in their water source
 - Fluoride varnish for the primary teeth of all infants and children starting at the age of primary tooth eruption

- **Over-the-counter drugs** when prescribed by your doctor for preventive purposes:
 - Iron supplements for children to reduce the risk of anemia
 - Oral fluoride for children to reduce the risk of tooth decay
- **Phenylketonuria screening** (newborns)
- **Routine physical exam**
- **Tuberculin testing** (for children at higher risk of tuberculosis)
- **Vision screening**

Additional region-specific preventive services⁷

For health plans issued in one of these states, additional region-specific preventive services are also listed for that state.

California

- Artificial insemination and sperm collection, processing, and testing for HIV-negative women who wish to conceive using sperm from HIV-positive donors
- First postpartum visits⁸
- Prostate cancer screenings (e.g., prostate-specific antigen testing and digital rectal examination)
- Retinal photography screenings for adults and children
- Travel immunizations

Colorado⁶

- Breast cancer screening for all at-risk individuals regardless of age
- Colon cancer screening for all at-risk individuals regardless of age

Georgia

- Ovarian cancer surveillance test for women over 35 or at risk
- Prostate cancer screenings

Maryland

- Labs and X-rays associated with well-child visits
- Prostate cancer screenings

Oregon

- First postpartum visits
- Prostate cancer screenings

Virginia

- Labs and X-rays associated with well-child visits
- Prostate cancer screenings

Washington

- First postpartum visits
- Prostate cancer screenings

Washington, D.C.

- Labs and X-rays associated with well-child visits
- Prostate cancer screenings